



1: 产品符合ROHS, REACH  
及无卤素之要求。

2: 端子电镀:

底层: 镍Ni 0.5-2 $\mu$ m

表层: 锡Sn 3-8 $\mu$ m

|                                                       |           |                                                                                                                         |            |                        |               |
|-------------------------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------|------------|------------------------|---------------|
| DRAWN                                                 | TANG XUAN | TOLERANCES                                                                                                              |            | TITEL:                 |               |
| CHECKED                                               |           | $0 < L \leq 4 \quad \pm 0.1$<br>$4 < L \leq 16 \quad \pm 0.2$<br>$16 < L \leq 63 \quad \pm 0.3$<br>ANGEL: $\pm 1^\circ$ |            | EE5.701-01-01 (3+3PIN) |               |
| APPROVED BY                                           |           |                                                                                                                         | Unit: mm   | BASE MATERIAL:         | UL REC        |
| <b>永鑫源电子有限公司</b><br>TEL:0752-2027988 FAX:0752-2867736 |           |                                                                                                                         | Scale: 5:1 | <b>CP-J-8700</b>       | 94V-0         |
|                                                       |           |                                                                                                                         | REV: A/0   | PIN MATERIAL           | <b>COLOR:</b> |
|                                                       |           |                                                                                                                         |            | PIN Tension Load       | <b>BLACK</b>  |
|                                                       |           |                                                                                                                         |            | C5191                  | DATE:         |
|                                                       |           |                                                                                                                         |            | 0.8kg                  | 2014.06       |